A A7001

Total Pages: 3 Reg No.: Name: APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY FIRST SEMESTER B.TECH DEGREE EXAMINATION, DECEMBER 2017 **Course Code: MA101 Course Name: CALCULUS** Max. Marks: 100 **Duration: 3 Hours** PART A Answer all questions, each carries5 marks. Marks 1 Test the convergence of the series $\sum_{k=1}^{\infty} \frac{1}{\sqrt[3]{2k-1}}$. (2) a) Find the radius of convergence of $\sum_{n=1}^{\infty} \frac{x^n}{2n+3}$. b) (3) 2 (2) a) Find the Slope of the surface $z = xe^{-y} + 5y$ in the y-direction at the point (4,0). Find the derivative of $z = \sqrt{1 + x - 2xy^4}$ with respect to t along the path b) (3) $x = \log t$, v = 2t. Find the directional derivative of $f = x^2y - yz^3 + z$ at (-1, 2, 0) in the direction of 3 (2) a) a = 2i + j + 2k. Find the unit tangent vector and unit normal vector to $r(t) = 4\cos ti + 4\sin tj + tk$ b) (3) Evaluate $\int_{0}^{\log 3} \int_{0}^{\log 2} e^{x+2y} dy dx.$ 4 (2) Evaluate $\iint_{D} xy \, dA$, where R is the region bounded by the curves $y = x^2$ and (3) 5 Find the divergence and curl of the vector $F(x, y, z) = yz i + xy^2 j + yz^2 k$. (2) Evaluate $\int_C (3x^2 + y^2) dx + 2xy dy$ along the circular arc C given by (3) $x = \cos t, y = \sin t \text{ for } 0 \le t \le \frac{\pi}{2}.$ (2) 6 (a) Use line integral to evaluate the area enclosed by the ellipse $\frac{x^2}{a^2} + \frac{y^2}{h^2} = 1$. (b) Evaluate $\int_C (x^2 - 3y) dx + 3x dy$, where C is the circle $x^2 + y^2 = 4$. (3) **PART B** Module 1 Answer any two questions, each carries 5 marks. 7 (5) Test the convergence or divergence of the series $\sum_{n=1}^{\infty} \left(\frac{n}{n+1}\right)^{n^2}$.

A A7001

- Test the absolute convergence of $\sum_{k=1}^{\infty} (-1)^{k+1} \frac{(2k)!}{(3k-2)!}.$ (5)
- Find the Taylor series for $\frac{1}{1+x}$ at x=2. (5)

Module 1I

Answer any two questions, each carries 5 marks.

- Find the local linear approximation L to $f(x, y) = \log(xy)$ at P(1,2) and compare the error in approximating f by L at Q(1.01, 2.01) with the distance between P and Q.
- Let $w = 4x^2 + 4y^2 + z^2$, $x = \rho \sin \phi \cos \theta$, $y = \rho \sin \phi \sin \theta$, $z = \rho \cos \phi$. Find $\frac{\partial w}{\partial \rho}$, $\frac{\partial w}{\partial \phi}$ and $\frac{\partial w}{\partial \theta}$. (5)
- Locate all relative extrema and saddle points of $f(x, y) = 4xy x^4 y^4$. (5)

Module 1II

Answer any two questions, each carries 5 marks.

- Find the equation of the tangent plane and parametric equation for the normal line to the surface $x^2 + y^2 + z^2 = 25$ at the point (3,0,4).
- A particle is moving along the curve $r(t) = (t^3 2t)i + (t^2 4)j$ where t denotes the time. Find the scalar tangential and normal components of acceleration at t = 1. Also find the vector tangential and normal components of acceleration at t = 1.
- The graphs of $r_1(t) = t^2i + tj + 3t^3k$ and $r_2(t) = (t-1)i + \frac{1}{4}t^2j + (5-t)k$ are intersect at the point P(1,1,3). Find, to the nearest degree, the acute angle between the tangent lines to the graphs of $r_1(t) \& r_2(t)$ at the point P(1,1,3).

Module 1V

Answer any two questions, each carries5 marks.

- 16 Change the order of integration and evaluate $\int_{0}^{1} \int_{4x}^{4} e^{-y^{2}} dy dx.$ (5)
- Use triple integral to find the volume bounded by the cylinder $x^2 + y^2 = 9$ and (5) between the planes z = 1 and x + z = 5.
- Find the area of the region enclosed between the parabola $y = \frac{x^2}{2}$ and the line y = 2x. (5)

Module V

Answer any three questions, each carries5 marks.

- Determine whether $F(x, y) = (\cos y + y \cos x)i + (\sin x x \sin y)j$ is a (5) conservative vector field. If so find the potential function for it.
- Show that the integral $\int_{(1,1)}^{(3,3)} (e^x \log y \frac{e^y}{x}) dx + (\frac{e^x}{y} e^y \log x) dy$, where x and y (5)
 - are positive is independent of the path and find its value.
- Find the work done by the force field F(x, y, z) = xyi + yzj + xzk on a particle (5) that moves along the curve $C: r(t) = ti + t^2j + t^3k$ ($0 \le t \le 1$).

A A7001

- Let r = xi + yj + zk and r = ||r||, let f be a differentiable function of one variable, then show that $\nabla f(r) = \frac{f'(r)}{r}r$. (5)
- Find $\nabla \cdot (\nabla \times F)$ and $\nabla \times (\nabla \times F)$ where $F(x, y, z) = e^{xz}i + 4xe^{y}j e^{yz}k$. (5)

Module VI

Answer any three questions, each carries5 marks.

- Use Green's Theorem to evaluate $\int_{C} \log(1+y)dx \frac{xy}{(1+y)}dy$, where C is the triangle with vertices (0,0), (2,0) and (0,4).
- Evaluate the surface integral $\iint_{\sigma} xzds$, where σ is the part of the plane x + y + z = 1 (5) that lies in the first octant.
- Using Stoke's Theoremevaluate $\int_C F.dr$ where $F(x, y, z) = xzi + 4x^2y^2j + yxk$, C (5) is the rectangle $0 \le x \le 1, 0 \le y \le 3$ in the plane z = y.
- Using Divergence Theorem evaluate $\iint_{\sigma} \overline{F} \cdot n \, ds$ where (5) $F(x,y,z) = x^3 i + y^3 j + z^3 k, \, \sigma \text{ is the surface of the cylindrical solid bounded by}$ $x^2 + y^2 = 4, \, z = 0 \text{ and } z = 4.$
- Determine whether the vector fields are free of sources and sinks. If it is not, locate them
 - (i) $(y+z)i xz^3j + x^2 \sin yk$ (ii) $xyi 2xyj + y^2k$